

ADF 30 TIN STRIPPER (PROVISIONAL)



KAWA
GmbH

Leiterplattentechnik / Industrievertretung



RESCO

S.R.L. 20054 Nova Milanese (MI) - Italy - Via L. Galvani, 18
Phone+39 0362 364425-Fax +39 0362 40907-E-mail:resco@resco.it



DECLARATION OF CONFORMITY

We:

RESCO SRL
Via Galvani, 18
20054 Nova Milanese (MI)

declare, accepting full responsibility, that the product:

MOD: STRIPPING MACHINE
TYPE : **ADF 30 TIN STRIPPER**
SERIES: **ZRE041020760**

to which this declaration relates conforms with the following standard:

EN 292-1
EN 292-2
EN 294
EN 60-204
EN 418
EN 349
prEN 811
prEN 894-1
prEN 894-2
prEN 894-3
prEN 953
prEN 954
prEN 1050
prEN 50099-1

in accordance with the provisions of the CEE directive:
DIRETTIVA MACCHINE 89/392 CON EMENDAMENTO 91/368, 93/44, 93/68, 93/44, 93/68 e alla
direttiva 89/336/EMC (compatibilità elettromagnetica) e successivi emendamenti 92/31 CEE e 93/68.


Date: 17.01.05



RESCO

® Machines for Multilayers and other Professional P. C. Boards

Sede legale Via degli Scipioni, 6 - 20151 Milano Italy C.F. e P.IVA 10975850156 - Trib. Milano Reg.Soc.337315
C.C.I.A.A. Milano n. 1425687 - Banca Popolare di Milano Ag. 17 - MI c/c 17190 - Capitale Sociale 70.000.000



Leiterplattentechnik / Industrievertretung

2) TECHNICAL DATA

Power required	9,5 kw\220\380 V\50Hz
Water consumption	max. 8 litres\min.
Conveyor width	650 mm
Conveyor height	900 mm
Conveyor speed	0-2000 mm\min adjustable
Tank capacity	litres
Smallest board size	100 x 120 mm
Floor area required	1200 x 1350 mm
Net weight	380 kg